

APPENDIX C

Environmental Reports

City Louisville Site
625 S Hancock Street
Louisville, KY 40202

Inquiry Number: 2750011.1s
April 19, 2010

The EDR Radius Map™ Report



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

Louisville Metro Government EDR Issue Summary April 20 2010

ID #	Name	Address	Database Listing & Brief Description	Parcel #	Boundary
A1	American Medicorp Development Co.	614 East Madison	UST: 4 T tanks removed/verified (no dates identified) - No known substances or capacities except one @ 250 gallons. NO/FOL/UOL (new/used oil?).	016D00360037	IN
2	American Red Cross	520 E Chestnut St 621 S. Jackson St	UST: One 12,000 gallon diesel fuel closed in place 9/04/1997. One 2,000 gallon diesel tank active, installed 1990, last tested Dec 2008. Three gasoline tanks verified removed June 1989 (2 @ 6,000 gal, 1 @ 3,000 gal).	016H01260000	IN
A3	Blue Motor Coach	614 E Madison St	SHWS: Surface and shallow subsurface lead contamination attributed to demolition of prior neighborhood before construction of the BMC facility. Closure date: 8/6/2004.	016D00360037	IN
4	Healthsouth Surgery Center Of Louisville	614 E Chestnut St	UST: One 500 gallon diesel fuel closed verified removed 5/8/1998.	016J01020000	IN
A5	Blue Motor Coach	614 East Madison Street	ENG CONTROLS & INST CONTROL: Deed Restriction, Superfund Branch - Capping (explain), Land Use Restrictions, Groundwater Use Restrictions 1.99 acres.	016D00360037	IN
C8	Boones Chevron	601 E Broadway	UST: Four active tanks (2 gasoline @ 10,000 gallons, 1 gasoline @ 8,000 gallons, and 1 diesel fuel @ 4,000 gallons) installed 8/1/86, last tested Dec 2008.	016J00010000	IN
D11	Schultz Building	501 E Broadway	RCRA-NonGen: Handler: Non-Generators do not presently generate hazardous waste	016H00310000	IN
D12	Shultz Building	501 E Broadway	SHWS: Petroleum Cleanup - Option C Restored. Closure Date: 6/15/2001	016H00310000	IN

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	285
Zip Scan Report	ZIP-1
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

GeoCheck - Not Requested

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
DRYCLEANERS		0.250	0	0	NR	NR	NR	0
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
LEAD		TP	NR	NR	NR	NR	NR	0
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0
COAL ASH EPA		0.500	0	0	0	NR	NR	0
COAL ASH DOE		TP	NR	NR	NR	NR	NR	0

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants	1.000	0	0	0	0	0	NR	0
-------------------------	-------	---	---	---	---	---	----	---

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1 AMERICAN MEDICORP DEVELOPMENT CO.
614 EAST MADISON
< 1/8 LOUISVILLE, KY 40202
1 ft.

RCRA-NonGen 1000359264
FINDS KYD985072347
UST

Site 1 of 4 in cluster A

Relative:
Higher

RCRA-NonGen:

Date form received by agency:06/07/1991

Facility name: AMERICAN MEDICORP DEVELOPMENT CO.

Facility address: 614 EAST MADISON
LOUISVILLE, KY 40202

EPA ID: KYD985072347

Mailing address: P.O. BOX 1438
LOUISVILLE, KY 40201

Contact: CLARENCE M. JONES

Contact address: P.O. BOX 1438

LOUISVILLE, KY 40201

Contact country: US

Contact telephone: (502) 580-1410

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: AMERICAN MEDICORP DEVELOPMENT CO.

Owner/operator address: P.O. BOX 1438
LOUISVILLE, KY 40201

Owner/operator country: Not reported

Owner/operator telephone: (502) 580-1410

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Verified to be non-commercial

Historical Generators:

Date form received by agency:01/01/1901

Facility name: AMERICAN MEDICORP DEVELOPMENT CO.

Classification: Large Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

AMERICAN MEDICORP DEVELOPMENT CO. (Continued)

1000359264

Hazardous Waste Summary:

Waste code: NONE
Waste name: None

Facility Has Received Notices of Violations:

Regulation violated: SS - KRS 224:876
Area of violation: Generators - General
Date violation determined: 03/01/1991
Date achieved compliance: 03/18/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 03/01/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SS - KRS 224:876
Area of violation: Generators - General
Date violation determined: 03/01/1991
Date achieved compliance: 03/18/1991
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/01/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 07/03/1991
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/21/1991
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/18/1991
Evaluation: COMPLIANCE SCHEDULE EVALUATION
Area of violation: Generators - General
Date achieved compliance: 03/18/1991
Evaluation lead agency: State

Evaluation date: 01/30/1991
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 03/18/1991

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN MEDICORP DEVELOPMENT CO. (Continued)

1000359264

Evaluation lead agency: State

FINDS:

Registry ID: 110003234517

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

UST:

Sequence Id: 2789056
Facility ID: 63715
Subject Item Id: 3
Tank Status: Tank removed/verified
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: None
Tank Internal Protection: Unknown
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: Unknown
Pipe Type: Unknown
Pipe Release Detection: Unknown
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Installation Date: 1/1/1901
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: 1/1/1991
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: UNKNOWN
Capacity in Gallons: 99
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: American Medi Corp Dev Co
Owner Address: 500 W MAIN ST
Owner Address2: Po Box 1438
Owner Address3: Not reported
Owner City,St,Zip: Louisville, KY 40201

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN MEDICORP DEVELOPMENT CO. (Continued)

1000359264

Owner Phone: 502-584-3777
Latitude: -85.742822
Longitude: 38.248408
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 2789056
Facility ID: 63715
Subject Item Id: 1
Tank Status: Tank removed/verified
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: None
Tank Internal Protection: Unknown
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: Unknown
Pipe Type: Unknown
Pipe Release Detection: Unknown
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Installation Date: 1/1/1901
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: 1/1/1991
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: UNKNOWN
Capacity in Gallons: 99
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: American Medi Corp Dev Co
Owner Address: 500 W MAIN ST
Owner Address2: Po Box 1438
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40201
Owner Phone: 502-584-3777
Latitude: -85.742822
Longitude: 38.248408
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 2789056
Facility ID: 63715
Subject Item Id: 2
Tank Status: Tank removed/verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)
EDR ID Number
EPA ID Number

AMERICAN MEDICORP DEVELOPMENT CO. (Continued)

1000359264

Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: None
Tank Internal Protection: Unknown
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: Unknown
Pipe Type: Unknown
Pipe Release Detection: Unknown
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Installation Date: 1/1/1961
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: 1/1/1991
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: ALSO LISTED AS NOL/FOL/UOL
Capacity in Gallons: 250
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: American Medi Corp Dev Co
Owner Address: 500 W MAIN ST
Owner Address2: Po Box 1438
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40201
Owner Phone: 502-584-3777
Latitude: -85.742822
Longitude: 38.248408
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 2789056
Facility ID: 63715
Subject Item Id: 4
Tank Status: Tank removed/verified
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: None
Tank Internal Protection: Unknown
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: Unknown
Pipe Type: Unknown
Pipe Release Detection: Unknown
Pipe Rel Detect Suc Code: UNK

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

AMERICAN MEDICORP DEVELOPMENT CO. (Continued)

1000359264

Pipe Leak Detect Code: NA
 Installation Date: 1/1/1901
 Closed In Place Date: Not reported
 Relined Date: Not reported
 Last Contained Date: Not reported
 Closed in Place Date: Not reported
 Removed Date: 1/1/1991
 Change In Service Date: Not reported
 Tank Pit Num: Not reported
 Compartment Num: 1
 Tank Substance Code: UNKNOWN
 Capacity in Gallons: 99
 Tank Manufctr Code: Not reported
 Pipe Manufctr Code: Not reported
 Last Tank Test Date: Not reported
 Last Pipe Test Date: Not reported
 Lining Insp Date: Not reported
 Last Cp Test Date: Not reported
 Added To Flex Date: Not reported
 Added To Piping Date: Not reported
 Added To Tank Date: Not reported
 Piping Installation Date: Not reported
 Owner Name: American Medi Corp Dev Co
 Owner Address: 500 W MAIN ST
 Owner Address2: Po Box 1438
 Owner Address3: Not reported
 Owener City,St,Zip: Louisville, KY 40201
 Owner Phone: 502-584-3777
 Latitude: -85.742822
 Longitude: 38.248408
 Subject Item Category Code: STOR
 Internal Document ID: 0

2 AMERICAN RED CROSS
 520 E CHESTNUT ST
 < 1/8 LOUISVILLE, KY 40202
 1 ft.

UST U000806813
 N/A

Relative: Higher
 Actual: 462 ft.

UST:
 Sequence Id: 2549056
 Facility ID: 35843
 Subject Item Id: 1
 Tank Status: Tank closed in place
 Inert Material Code: Not reported
 Tank Material: Single Wall Steel
 Tank External Protection: Exempt From Leak Detection
 Tank Internal Protection: Unknown
 Tank Overfill Protection: Unknown
 Pipe Material: Single Wall Steel
 Pipe External Protection: None
 Pipe Type: Suction
 Pipe Release Detection: Exempt From Leak Detection
 Pipe Rel Detect Suc Code: LDX
 Pipe Leak Detect Code: NA
 Installation Date: 6/1/1971
 Closed In Place Date: Not reported
 Relined Date: Not reported
 Last Contained Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN RED CROSS (Continued)

U000806813

Closed in Place Date: 9/4/1997
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: DIESEL
Capacity in Gallons: 12000
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: American Red Cross/Lou Chapter
Owner Address: 520 E CHESTNUT ST
Owner Address2: Po Box 3168
Owner Address3: Not reported
Owner City,St,Zip: Louisville, KY 40201
Owner Phone: 502-589-4450
Latitude: 85 45' 00"W
Longitude: 38 14' 05"N
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 2549056
Facility ID: 35843
Subject Item Id: 2
Tank Status: Tank active
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: Other
Tank Internal Protection: NA
Tank Overfill Protection: Automatic Shutoff Device
Pipe Material: Flexible Wall
Pipe External Protection: NA
Pipe Type: Suction
Pipe Release Detection: None
Pipe Rel Detect Suc Code: LDX
Pipe Leak Detect Code: NA
Installation Date: 7/1/1990
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: DIESEL
Capacity in Gallons: 2000
Tank Manufctr Code: STI
Pipe Manufctr Code: TCE
Last Tank Test Date: 12/12/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN RED CROSS (Continued)

U000806813

Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: 3/27/2007
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: American Red Cross/Lou Chapter
Owner Address: 520 E CHESTNUT ST
Owner Address2: Po Box 3168
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40201
Owner Phone: 502-589-4450
Latitude: 85 45' 00"W
Longitude: 38 14' 05"N
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 2549056
Facility ID: 35843
Subject Item Id: 3
Tank Status: Tank removed/verified
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: None
Tank Internal Protection: Unknown
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: Unknown
Pipe Type: Unknown
Pipe Release Detection: Unknown
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Installation Date: 1/1/1971
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: 6/5/1989
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: GASOLINE
Capacity in Gallons: 6000
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: American Red Cross/Lou Chapter
Owner Address: 520 E CHESTNUT ST
Owner Address2: Po Box 3168

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMERICAN RED CROSS (Continued)

U000806813

Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40201
Owner Phone: 502-589-4450
Latitude: 85 45' 00"W
Longitude: 38 14' 05"N
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 2549056
Facility ID: 35843
Subject Item Id: 4
Tank Status: Tank removed/verified
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: None
Tank Internal Protection: Unknown
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: Unknown
Pipe Type: Unknown
Pipe Release Detection: Unknown
Pipe Rel Detect Suc Code: UNK
Pipe Leak Detect Code: NA
Installation Date: 1/1/1971
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: 6/5/1989
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: GASOLINE
Capacity in Gallons: 6000
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: American Red Cross/Lou Chapter
Owner Address: 520 E CHESTNUT ST
Owner Address2: Po Box 3168
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40201
Owner Phone: 502-589-4450
Latitude: 85 45' 00"W
Longitude: 38 14' 05"N
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 2549056
Facility ID: 35843

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

AMERICAN RED CROSS (Continued)

U000806813

Subject Item Id: 5
 Tank Status: Tank removed/verified
 Inert Material Code: Not reported
 Tank Material: Single Wall Steel
 Tank External Protection: None
 Tank Internal Protection: Unknown
 Tank Overfill Protection: Unknown
 Pipe Material: Single Wall Steel
 Pipe External Protection: Unknown
 Pipe Type: Unknown
 Pipe Release Detection: Unknown
 Pipe Rel Detect Suc Code: UNK
 Pipe Leak Detect Code: NA
 Installation Date: 1/1/1971
 Closed In Place Date: Not reported
 Relined Date: Not reported
 Last Contained Date: Not reported
 Closed in Place Date: Not reported
 Removed Date: 6/5/1989
 Change in Service Date: Not reported
 Tank Pit Num: Not reported
 Compartment Num: 1
 Tank Substance Code: GASOLINE
 Capacity in Gallons: 3000
 Tank Manufctr Code: Not reported
 Pipe Manufctr Code: Not reported
 Last Tank Test Date: Not reported
 Last Pipe Test Date: Not reported
 Lining Insp Date: Not reported
 Last Cp Test Date: Not reported
 Added To Flex Date: Not reported
 Added To Piping Date: Not reported
 Added To Tank Date: Not reported
 Piping Installation Date: Not reported
 Owner Name: American Red Cross/Lou Chapter
 Owner Address: 520 E CHESTNUT ST
 Owner Address2: Po Box 3168
 Owner Address3: Not reported
 Owener City,St,Zip: Louisville, KY 40201
 Owner Phone: 502-589-4450
 Latitude: 85 45' 00"W
 Longitude: 38 14' 05"N
 Subject Item Category Code: STOR
 Internal Document ID: 0

A3 BLUE MOTOR COACH
 614 E MADISON ST
 LOUISVILLE, KY 40243
 < 1/8
 1 ft.

SHWS S106885441
 N/A

Site 2 of 4 in cluster A

Relative: SHWS:
 Higher Status: Managed
 Description: BLUE MOTOR COACH (Closed: Contained / Managed) - surface and shallow
 Actual: subsurface lead contamination attributed to demolition of prior
 462 ft. neighborhood before construction of the BMC facility.
 Longitude: -85.74160799999
 Latitude: 38.247977999999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLUE MOTOR COACH (Continued)

S106885441

Subject Item County: Jefferson
Sub Item Longitude: 38.248046000000
Subject Item Address: 614 East Madison Street
Subject Item Address2: Not reported
Subject Item City,St,Zip: Louisville, KY 402431020
Regulatory Desc: State Superfund
Closure Option: Option D Combination
Side SG: 47970
Closure Date: 8/6/2004

4

HEALTHSOUTH SURGERY CENTER OF LOUISVILLE
614 E CHESTNUT ST
LOUISVILLE, KY 40202

UST U003415717
N/A

< 1/8
1 ft.

UST:

Relative: Sequence Id: 2067056
Higher Facility ID: 69608
Subject Item Id: 1
Actual: **Tank Status:** Tank removed/verified
459 ft. Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: None
Tank Internal Protection: NA
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: None
Pipe Type: Suction
Pipe Release Detection: None
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: NA
Installation Date: 10/1/1981
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: 5/8/1998
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: DIESEL
Capacity in Gallons: 500
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: Healthsouth Surgery Ctr Of Lou
Owner Address: 614 E CHESTNUT ST
Owner Address2: Not reported
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40202
Owner Phone: 502-589-9488

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HEALTHSOUTH SURGERY CENTER OF LOUISVILLE (Continued)

U003415717

Latitude: -85.742847
Longitude: 38.247308
Subject Item Category Code: STOR
Internal Document ID: 0

A5
< 1/8
1 ft.

BLUE MOTOR COACH
614 EAST MADISON STREET
LOUISVILLE, KY 40243

ENG CONTROLS S107867834
INST CONTROL N/A

Site 3 of 4 in cluster A

Relative:
Higher

ENG CONTROLS:

Actual:
462 ft.

AI Id: 52199
Regulatory Desc: State Superfund
Site Status: Managed
Closure Option: Option D Combination
Closure Date: 08/06/2004
Lat/Long: 38.24805 / -85.74204
Description: BLUE MOTOR COACH (Closed: Contained / Managed) - surface and shallow subsurface lead contamination attributed to demolition of prior neighborhood before construction of the BMC facility.

KS INSTUTIONAL CONTROL:

Incident Id: 52199
GARA Number: GARA0000000001
Facility Status: Not reported
Lat/Lon: 38.248046 -85.742038
Remedy: Not reported
Control Type: Deed Restriction
Program: Superfund
Date Filed: 6/18/2004
Date Removed: Not reported
Control Method: Capping (explain), Land Use Restrictions, Groundwater Use Restrictions
Acreage: 1.99

Incident Id: 52199
GARA Number: GARA0000000001
Facility Status: Not reported
Lat/Lon: 38.248046 -85.742038
Remedy: Not reported
Control Type: Deed Restriction
Program: Superfund
Date Filed: 6/24/2004
Date Removed: Not reported
Control Method: Capping (explain), Land Use Restrictions, Groundwater Use Restrictions
Acreage: 1.99

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B6
< 1/8
1 ft.
QUALITY AUTO PAINTING & BODY WORKS
700 EAST BROADWAY
LOUISVILLE, KY 40204

RCRA-CESQG 1000908177
FINDS KY0000708396

Site 1 of 2 in cluster B

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 09/15/1994

Facility name: QUALITY AUTO PAINTING & BODY WORKS

Facility address: 700 EAST BROADWAY
LOUISVILLE, KY 40204

EPA ID: KY0000708396

Mailing address: EAST BROADWAY
LOUISVILLE, KY 40204

Contact: RANDY LEE

Contact address: 700 EAST BROADWAY
LOUISVILLE, KY 40204

Contact country: US

Contact telephone: (502) 583-0717

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: EVA AND BILL SHARP

Owner/operator address: 700 EAST BROADWAY
LOUISVILLE, KY 40204

Owner/operator country: Not reported

Owner/operator telephone: (502) 583-0717

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): Unknown

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

MAP FINDINGS

Map ID Direction Distance Elevation		EDR ID Number EPA ID Number
Site		Database(s)

C8	BOONES CHEVRON	UST	U003416145
	601 E BROADWAY		N/A
< 1/8	LOUISVILLE, KY 40299		
0.001 mi.			
4 ft.	Site 2 of 2 in cluster C		

Relative: Lower Actual: 454 ft.	UST:	Sequence Id: 881056 Facility ID: 60899 Subject Item Id: 1 Tank Status: Tank active Inert Material Code: Not reported Tank Material: Single Wall Steel Tank External Protection: Automatic Tank Gauging Tank Internal Protection: NA Tank Overfill Protection: Automatic Shutoff Device Pipe Material: Fiberglass Reinforced Plastic Pipe External Protection: NA Pipe Type: Pressurized Pipe Release Detection: LTT Pipe Rel Detect Suc Code: NON Pipe Leak Detect Code: MLD Installation Date: 8/1/1986 Closed In Place Date: Not reported Relined Date: Not reported Last Contained Date: Not reported Closed in Place Date: Not reported Removed Date: Not reported Change in Service Date: Not reported Tank Pit Num: Not reported Compartment Num: 1 Tank Substance Code: GASOLINE Capacity in Gallons: 10000 Tank Manufctr Code: STI Pipe Manufctr Code: UNK Last Tank Test Date: 12/8/2008 Last Pipe Test Date: 12/8/2008 Lining Insp Date: Not reported Last Cp Test Date: 12/15/2008 Added To Flex Date: Not reported Added To Piping Date: Not reported Added To Tank Date: Not reported Piping Installation Date: Not reported Owner Name: Kassem & Sons LLC Owner Address: 601 E Broadway Owner Address2: Not reported Owner Address3: Not reported Owener City,St,Zip: Louisville, KY 40202 Owner Phone: 502-564-4024 Latitude: -85.74409 Longitude: 38.24551 Subject Item Category Code: STOR Internal Document ID: 0 Sequence Id: 881056 Facility ID: 60899 Subject Item Id: 2 Tank Status: Tank active Inert Material Code: Not reported
--	------	--

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOONES CHEVRON (Continued)

U003416145

Tank Material: Single Wall Steel
Tank External Protection: Automatic Tank Gauging
Tank Internal Protection: NA
Tank Overfill Protection: Automatic Shutoff Device
Pipe Material: Fiberglass Reinforced Plastic
Pipe External Protection: NA
Pipe Type: Pressurized
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Installation Date: 8/1/1986
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: GASOLINE
Capacity in Gallons: 10000
Tank Manufctr Code: STI
Pipe Manufctr Code: UNK
Last Tank Test Date: 12/8/2008
Last Pipe Test Date: 12/8/2008
Lining Insp Date: Not reported
Last Cp Test Date: 12/15/2008
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: Kassem & Sons LLC
Owner Address: 601 E Broadway
Owner Address2: Not reported
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40202
Owner Phone: 502-564-4024
Latitude: -85.74409
Longitude: 38.24551
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 881056
Facility ID: 60899
Subject Item Id: 3
Tank Status: Tank active
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: Automatic Tank Gauging
Tank Internal Protection: NA
Tank Overfill Protection: Automatic Shutoff Device
Pipe Material: Fiberglass Reinforced Plastic
Pipe External Protection: NA
Pipe Type: Pressurized
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOONES CHEVRON (Continued)

U003416145

Installation Date: 8/1/1986
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: GASOLINE
Capacity in Gallons: 8000
Tank Manufctr Code: STI
Pipe Manufctr Code: UNK
Last Tank Test Date: 12/8/2008
Last Pipe Test Date: 12/8/2008
Lining Insp Date: Not reported
Last Cp Test Date: 12/15/2008
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: Kassem & Sons LLC
Owner Address: 601 E Broadway
Owner Address2: Not reported
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40202
Owner Phone: 502-564-4024
Latitude: -85.74409
Longitude: 38.24551
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 881056
Facility ID: 60899
Subject Item Id: 4
Tank Status: Tank active
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: Automatic Tank Gauging
Tank Internal Protection: NA
Tank Overfill Protection: Flow Restrictor
Pipe Material: Fiberglass Reinforced Plastic
Pipe External Protection: NA
Pipe Type: Pressurized
Pipe Release Detection: LTT
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Installation Date: 8/1/1986
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: Not reported
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: DIESEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BOONES CHEVRON (Continued)

U003416145

Capacity in Gallons: 4000
Tank Manufctr Code: STI
Pipe Manufctr Code: UNK
Last Tank Test Date: 12/8/2008
Last Pipe Test Date: 12/8/2008
Lining Insp Date: Not reported
Last Cp Test Date: 12/15/2008
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: Kassem & Sons LLC
Owner Address: 601 E Broadway
Owner Address2: Not reported
Owner Address3: Not reported
Owner City,St,Zip: Louisville, KY 40202
Owner Phone: 502-564-4024
Latitude: -85.74409
Longitude: 38.24551
Subject Item Category Code: STOR
Internal Document ID: 0

D9
South
< 1/8
0.002 mi.
12 ft.

CLASSIE CAR WASH
510 EAST BROADWAY
LOUISVILLE, KY 40202

RCRA-NonGen 1000987402
FINDS KY0001014307

Site 1 of 4 in cluster D

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 01/31/1996
Facility name: CLASSIE CAR WASH
Facility address: 510 EAST BROADWAY
LOUISVILLE, KY 40202
EPA ID: KY0001014307
Mailing address: EAST BROADWAY
LOUISVILLE, KY 40202
Contact: RON ARNOLD
Contact address: 510 EAST BROADWAY
LOUISVILLE, KY 40202
Contact country: US
Contact telephone: (502) 584-5363
Contact email: Not reported
EPA Region: 04
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
457 ft.

Owner/Operator Summary:

Owner/operator name: RON ARNOLD
Owner/operator address: 510 EAST BROADWAY
LOUISVILLE, KY 40202
Owner/operator country: Not reported
Owner/operator telephone: (502) 584-5363
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MB CLASSIE CAR WASH (Continued)

U001184017

Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: John Wa
Owner Address: 510 E BROADWAY
Owner Address2: Not reported
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40202
Owner Phone: 502-584-5363
Latitude: -85.745358
Longitude: 38.245123
Subject Item Category Code: STOR
Internal Document ID: 0

D11
South
< 1/8
0.002 mi.
12 ft.

SCHULTZ BUILDING
501 E BROADWAY
LOUISVILLE, KY 40202
Site 3 of 4 In cluster D

RCRA-NonGen 1004706676
FINDS KYR000028274

Relative:
Lower

RCRA-NonGen:

Date form received by agency:08/14/2000

Facility name: SCHULTZ BUILDING
Facility address: 501 E BROADWAY
LOUISVILLE, KY 40202

EPA ID: KYR000028274
Mailing address: LOGAN STREET
LOUISVILLE, KY 40204

Contact: RICHARD BASCOM
Contact address: 1124 LOGAN STREET
LOUISVILLE, KY 40204

Contact country: US
Contact telephone: (502) 638-1600

Contact email: Not reported

EPA Region: 04

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CITY OF LOUISVILLE
Owner/operator address: 601 W JEFFERSON ST
LOUISVILLE, KY 40202

Owner/operator country: Not reported
Owner/operator telephone: (502) 638-1600

Legal status: Municipal

Owner/Operator Type: Owner

Owner/Op start date: 01/01/0001

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MB CLASSIE CAR WASH (Continued)

U001184017

Compartment Num: 1
Tank Substance Code: GASOLINE
Capacity in Gallons: 8000
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported
Added To Piping Date: Not reported
Added To Tank Date: Not reported
Piping Installation Date: Not reported
Owner Name: John Wa
Owner Address: 510 E BROADWAY
Owner Address2: Not reported
Owner Address3: Not reported
Owener City,St,Zip: Louisville, KY 40202
Owner Phone: 502-584-5363
Latitude: -85.745358
Longitude: 38.245123
Subject Item Category Code: STOR
Internal Document ID: 0

Sequence Id: 6336056
Facility ID: 69476
Subject Item Id: 1
Tank Status: Tank removed/verified
Inert Material Code: Not reported
Tank Material: Single Wall Steel
Tank External Protection: Daily Inventory RCRDS / Tank Tightness
Tank Internal Protection: NA
Tank Overfill Protection: Unknown
Pipe Material: Single Wall Steel
Pipe External Protection: Unknown
Pipe Type: Pressurized
Pipe Release Detection: None
Pipe Rel Detect Suc Code: NON
Pipe Leak Detect Code: MLD
Installation Date: 1/1/1971
Closed In Place Date: Not reported
Relined Date: Not reported
Last Contained Date: Not reported
Closed in Place Date: Not reported
Removed Date: 11/13/1994
Change in Service Date: Not reported
Tank Pit Num: Not reported
Compartment Num: 1
Tank Substance Code: GASOLINE
Capacity in Gallons: 8000
Tank Manufctr Code: Not reported
Pipe Manufctr Code: Not reported
Last Tank Test Date: Not reported
Last Pipe Test Date: Not reported
Lining Insp Date: Not reported
Last Cp Test Date: Not reported
Added To Flex Date: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SCHULTZ BUILDING (Continued)

1004706676

Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No
 Off-site waste receiver: Verified to be non-commercial

Hazardous Waste Summary:

Waste code: NONE
 Waste name: None

Violation Status: No violations found

FINDS:

Registry ID: 110003256716

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

D12
 South
 < 1/8
 0.002 mi.
 12 ft.

SHULTZ BUILDING
501 E BROADWAY
LOUISVILLE, KY 40202
 Site 4 of 4 in cluster D

SHWS S106885479
 N/A

Relative:
 Lower

SHWS:

Status: Closed
 Description: SHULTZ BUILDING / CITY OF LOUISVILLE (Closed: Restored)
 Longitude: -85.4445000000
 Latitude: 38.174499999999
 Subject Item County: Jefferson
 Sub Item Longitude: 38.174499999999
 Subject Item Address: 501 E. BROADWAY
 Subject Item Address2: Not reported
 Subject Item City,St,Zip: Louisville, KY 40202
 Regulatory Desc: Petroleum Cleanup
 Closure Option: Option C Restored
 Side SG: 9826
 Closure Date: 6/15/2001

Actual:
 457 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B13
East
< 1/8
0.007 ml.
36 ft.

QUALITY AUTO PAINTING & BODY WORKS
710 EAST BROADWAY
LOUISVILLE, KY 40204

RCRA-CESQG
FINDS

1000941657
KY0000563304

Site 2 of 2 in cluster B

Relative:
Lower

RCRA-CESQG:

Date form received by agency: 09/22/1995

Facility name: QUALITY AUTO PAINTING & BODY WORKS

Facility address: 710 EAST BROADWAY
LOUISVILLE, KY 40204

EPA ID: KY0000563304

Mailing address: EAST BROADWAY
LOUISVILLE, KY 40204

Contact: BILL SHARPE

Contact address: 700 EAST BROADWAY
LOUISVILLE, KY 40204

Contact country: US

Contact telephone: (502) 583-5316

Contact email: Not reported

EPA Region: 04

Land type: Private

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: EVA MALINDA SHARPE
Owner/operator address: 700 EAST BROADWAY
LOUISVILLE, KY 40204

Owner/operator country: Not reported
Owner/operator telephone: (502) 583-5316

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No